Qtv:

200 Um:

Each

: BEARING ASSEMBLY

: D3121241

: 28/11/2008

: N/A

D3121 REV E

Date: User:

Wednesday, 19/11/2008 9:57:59 AM

Julie Dawson

Process Sheet

Drawing Name

Part Number

Material

Due Date

Drawing Number

Project Number

Drawing Revision

Customer

: CU-DAR001 Dart Helicopters Services

Type

S.O. No. :

: 43537 Job Number **Estimate Number** : 10716

P.O. Number

Prsht Rev.

First Issue

Written By

Previous Run

This Issue

: 19/11/2008

: NC

: //

: 42177

Checked & Approved By

Comment

New issue KJ/DS : Est Rev:A 04.02.18

07-11-12 DD verified by:EC Est Rev:B ECN 1060

: MACHINED PARTS

Additional Product

Job Number:

Seq. #:

Machine Or Operation:

Description: DELRIN ROUND BAR 1.25"

1.0

2.0

4.0

MDELRINR12500

Comment: Qty.:

Total;

108460 X 4,5318 F(S)

(M-DELRIN-R1-2500) Identify as D3121

0.0546 f(s)/Unit

Material: Ø1.25 Delrin Rod Van

Batch: 108460 HARDINGE

HARDINGE CNC LATHE SMALL



Comment: HARDINGE CNC LATHE SMALL

1-Turn D3121-25 Cap as per Folio FA387

2-Deburr

3.0 QC2





PARTS AS THEY COME OFF MACHINE Comment: INSPECT


SECOND CHECK



Comment: SECOND CHECK

QC8

5.0 D312123 Bearing





Comment: Qty.:

1.0000 Each(s)/Unit Total: 200.0000 Each(s)



Qty Part Number 1 D3121-23

Description_



W/O:			WORK ORDER	CHANGES				
DATE	STEP	PR	OCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspector
		1.						
Part No):	PAR #:	Fault Category:	NCR: Yes	No DQ	A:	Date: _	
	Resolution		Disposition:	QA: N/C C	losed:		Date: _	
NCR-			WORK ORDER NON-CON	IFORMANCE (NC	R)			

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC	Corrective Action Section B			Verification	Annroyal	Annroyal	
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector	
								•	

NOTE: Date & initial all entries

Wednesday, 19/11/2008 9:57:59 AM Date: Julie Dawson User: **Process Sheet** Drawing Name: BEARING ASSEMBLY Customer: CU-DAR001 Dart Helicopters Services Part Number: D3121241 Job Number: 43537 Job Number: Seq. #: **Machine Or Operation:** Description: SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1 6.0 Comment: SMALL & MEDIUM FAB RESOURCE 1 1-Press D3121-23 Bearing into D3121-25 Cap as per Dwg D3121 INSPECT WORK TO CURRENT STEP 7.0 QC5 Comment: INSPECT WORK TO CURRENT STEP 8.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock

Location:_

QC21

FINAL INSPECTION/W/O RELEASE

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion

9.0



Dart Aerospace Ltd

	1								
W/O:			W	ORK ORDER CHANGE	S		· · · · · · · · · · · · · · · · · · ·		
DATE	STEP	PRO	CEDURE CH	ANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
									·
Part No	:	PAR #:	Fault Cat	egory:	NCR: Yes	No DQ	A:	Date: _	
	R	esolution:	Disposition	on:	QA: N/C Closed: Date:				
NCR:		V	ORK ORE	ER NON-CONFORMA	NCE (NC	R)			
5475	0	Description of NC	Corrective Action Sec Initial Action Description Chief Eng Chief Eng		Section B		Verification		Approval
DATE	STEP	Section A			Sign Dat	& Sec	tion C	Approval Chief Eng	QC Inspector
								·	
					j				

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	43537
Description: Cap	Part Number:	D3121-25
Inspection Dwg: D3121 Rev: E		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

Х	First Article		Prototype
---	---------------	--	-----------

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.315	+/-0.010	0.317				
Ø1.000	+/-0.010	0.996				
Ø0.838	+/-0.002	0.839				
R0.063	+/-0.010	0.063				
R0.010	+/-0.010	0.010				
0.230	+/-0.001	0,229				
Ø0.865	+/-0.001	\$0.865				
					۹.	
					,	

Measured by: ガプト	Audited by:	Inf	Prototype Approval:	N/A
Date: 08/11/23	Date:	08/11/24	Date:	N/A


Rev	Date	Change	Revised by	Approved
Α	04.04.20	New Issue (P/O D3121-241)	KJ/RF	
В	06.06.09	Ø1.000 diameter was Ø1.024	KJ/JLM , ,	
С	08.01.16	Dwg Rev. updated	KJ/EC/DD-	



	DESIGN DRAWN BY		DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA				
į	CHECK	(ED_	APPROVED	DRAWING NO.	REV. E			
		#		D3121	SHEET 1 OF 10			
	DATE			TITLE	SCALE			
	07.1	1.07		BRACKET ASSEMBLY	1:2			
	Α		02.04.15	NEW ISSUE				
	В		03.01.16	ADD RIDGES; ADD MAT ADD -141/-143/-14	T'L PROP; FIX P/N 14/-145/-146			
	С		04.02.17	ADD CLEARANCE; USE	-241 BEARING			




 •	1.07	BITTORET TOOLINGET
Α	02.04.15	NEW ISSUE
В	03.01.16	ADD RIDGES; ADD MAT'L PROP; FIX P/N ADD -141/-143/-144/-145/-146
С	04.02.17	ADD CLEARANCE; USE -241 BEARING
D	06.05.17	D3121-25 CAP WAS 1.024, NOW 1.000
E	07.11.07	ADD TOLERANCE TO 0.032 (DETAIL B)




D3121-041_BRACKET_ASSEMBLY

(REPLACES PREMIER P/N B30-23000-33)



D3121-043 (SHOWN) / D3121-044 (OPPOSITE) BRACKET ASSEMBLY

(REPLACES PREMIER P/N B30-23000-37/-38)




D3121-045 (SHOWN) / D3121-046 (OPPOSITE) BRACKET ASSEMBLY

(REPLACES PREMIER P/N B30-23000 C35/-36)

RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE WORK ORDER



DESIGN	DRAWN BY	DART AEROSF HAWKESBURY, ONTAF	
CHECKED	APPROVED	DRAWING NO.	REV. E
4	-	D3121	SHEET 2 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2





Copyright © 2002 by DART AEROSPACE LTD



DESIGN	A DRAWN	DAR	T AEROSPACE LTD WKESBURY, ONTARIO, CANADA
CHECKE	D APPROV	/ED, DRAWING NO.	REV. E
	4 -	D 3121	SHEET 3 OF 10
DATE		TITLE	SCALE
07.11	.07	BRACKET AS	SEMBLY 1:1


DETAIL A: SLOT DETAIL SCALE 2:1 VIEW ROTATED





SECTION C-C


RIDGE DETAIL PARTIAL SECTION SCALE 1:20



SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE



	DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
	CHECKED	APPROVED,	DRAWING NO.		REV. E
	#	-\	D3121		SHEET 4 OF 10
ı	DATE		TITLE		SCALE
	07.11.07		BRACKET	ASSEMBLY	1:1



D3121-11 BRACKET

- 1) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B)
 MIN ULTIMATE TENSILE = 150 ksi
 MIN YIELD TENSILE = 100 ksi
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 5) ENGRAVE DART P/N & LOGO AS SHOWN
- 6) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

SHOP COPY

RETURN TO

ENGINEERING

UNCONTROLLED COPY

SUBJECT TO AMENDMENT


WITHOUT NOTICE

WOLK ORDER

Copyright @ 2004 by DART AEROSPACE LTD



	DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
-	CHECKED	APPROVED,	DRAWING NO.	REV. E
	#	- 	D3121	SHEET 5 OF 10
	DATE		TITLE	SCALE
	07.11.07		BRACKET ASSEMBLY	1:2



0

DAIRT

D3121-13

1.220 - 1.800 -

 \bigoplus

 \bigoplus

2.63


<u>_{6\</u>

0.400

1.280

0.960

اـــ 0.330



D3121-13 BRACKET (SHOWN) D3121-14 BRACKET (OPPOSITE)

1) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B) SHOP COPY

MIN ULTIMATE TENSILE STRENGTH = 150 ksi

MIN YIELD TENSILE STRENGTH = 100 ksi

2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

3) ALL DIMENSIONS ARE IN INCHES

4) BREAK ALL SHARP EDGES 0.005 TO 0.015

5) ENGRAVE DART P/N & LOGO AS SHOWN

6) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

RETURN TO

ENGINEERING UNCONTROLLED COPY

SUBJECT TO AMENDMENT


WITHOUT NOTICE

WORK ORDER

Copyright @ 2002 by DART AEROSPACE LTD



DESIGN #	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED A	APPROVED	DRAWING NO.	REV. E
9#	1	D3121	SHEET 6 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2



D3121-15 BRACKET (SHOWN) D3121-16 BRACKET (OPPOSITE)

1) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B) MIN ULTIMATE TENSILE = 150 ksi

MIN YIELD TENSILE = 100 ksi

2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

3) ALL DIMENSIONS ARE IN INCHES

4) BREAK ALL SHARP EDGES 0.005 TO 0.015

5) ENGRAVE DART P/N AND LOGO AS SHOWN

6) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

SHOP COPY RETURN TO ENGINEERING


UNCONTROLLED COPY SUBJECT TO AMENDMENT

WITHOUT NOTICE

WORK ORDER



DESIGN BY		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED _	APPROVEO	DRAWING NO.	REV. E
4		D3121	SHEET 7 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2



D3121-111 BRACKET

- 1) REPLACES PREMIER P/N B32-23001-11
- 2) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B) MIN ULTIMATE TENSILE = 150 ksi


MIN YIELD TENSILE = 100 ksi

- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHEWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 6) ENGRAVE DART P/N & LOGO IN AREAS SHOWN
- 7) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE




DESIGN A DRAWN BY		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED _	APPROVED	DRAWING NO.	REV. E
4	-#	D3121	SHEET 8 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2






DESIGN DRAWN BY		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED.	DRAWING NO.	REV. E SHEET 9 OF 10
DATE	<u> [7]</u>	TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2



Copyright © 2002 by DART AEROSPACE LTD




DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECKED	APPROVED.	DRAWING NO.		REV. E
#	 	D3121		SHEET 10 OF 10
DATE		TITLE		SCALE
07.11.07		BRACKET	ASSEMBLY	1:1




D3121-17 WASHER (SCALE 2:1)

- 1) REPLACES PREMIER P/N B32-23001-17
- 2) MATERIAL: AISI 303 SS ROUND BAR, ANNEALED (REF DART SPEC. M303R)
- 3) TOLERANCÈS ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015



D3121-19 BEARING (SCALE 1:1)

- 1) POSSIBLE SUPPLIER: KING BEARING P/N 6000-2ZJ/EM FAFNIR P/N 9100KDD
- 2) ALL DIMENSIONS ARE IN INCHES




D3121-23 BEARING (SCALE 1:1)

- 1) POSSIBLE SUPPLIER: SKF P/N 61900-2Z OR KML P/N 6900-ZZ
- 2) ALL DIMENSIONS ARE IN INCHES

0.375 TAP 10-32 UNF-3A O7.11.07 M 0.080 0.050 TO 0.060

D3121-21 BOLT (SCALE 1:1)

- 1) MATERIAL: AISI 303 SS HEX, ANNEALED (REF DART SPEC. M303H0.500)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015




D3121-25 CAP (SCALE 1:1)

1) MATERIAL: DELRIN ROD, Ø1.25

(REF DART SPEC. M-DELRIN-R1.250)

- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES SHOP COPY



D3121-241 BEARING ASSEBLY (SCALE 1:1)

Copyright @ 2002 by DART AEROSPACE LTD